



## **MANTION® SAS**

7 rue Gay Lussac| 25000 Besançon - FRANCE Tel. + 33 3 81 50 56 77 | Fax + 33 3 81 53 29 76 Email: mantion@mantion.com





## **Germany | Austria**

Germany / Austria Mantion Baubeschläge GMBH

Dieselstraße 18 D-42579 Heiligenhaus Tel. + 49 2056 58 26 90 Fax + 49 2056 58 26 99 Email: info@mantion.de www.mantion.de

## **Eastern Europe**

Eastern Europe Mantion Polska

ul Boruty 2a PL-03 769 Warszawa Tel. + 48 22 818 77 22 Fax + 48 22 818 99 78 Email: biuro@valcomp.com.pl

## **Middle East**

Middle East
Dubai Branch Office

Jafza South, Unit no. S101 23 O 032, Jebel Ali Free Zone, Dubai, UAE Dubai & Bahrain: Tel. +971 56 174 58 44 Rest of the Middle East: +971 56739 66 11 Email: export@mantion.com

## India

India Mantion India Private Ltd

G-19, T.V. Estate, 248/A, S.K. Ahire Marg. Worli Mumbai - 400030. INDIA Mobile: +91 0 9819 30 38 78 Email: support.india@mantion.com

## **South-East Asia**

South-East Asia Mantion South-East Asia

Sovereign Plaza Lantai 8 Unit D E
Jl. TB Simatupang No.Kav. 36, Kec. Cilandak,
Jakarta Selatan, 12430
INDONESIA
Email: export@mantion.com
www.mantion.com

## **North America**

North America Mantion Canada

12-360 boul. Séminaire N Saint-Jean-sur-Richelieu Québec J3B 5L1 Tel. + 1 (450) 529 1315 Email: contact@mantion-na.com www.mantion.ca

#### Mantion USA

10-34 44th Drive. 2nd Floor. Long Island City 11101 NEW YORK Tel. + 1 (475) 289-0254 Email: contact@mantion-us.com www.mantion.us



# **Folding-sliding space dividers**



www.mantion.com

## **Designer and manufacturer of** sliding systems since 1920

# **OPENTEC®**



## FOLDING-SLIDING SYSTEM FOR DIVIDING SPACES & CREATING **LARGE OPENINGS**

The **OPENTEC** range offers a wide choice of systems to create flexible, flowing spaces and large openings onto the outside. Technically, the system is suitable for use with large-sized panels, whatever the material (steel, wood, aluminium, glass, etc.), to create movable partition walls and wide openings.











## **CHOOSING QUALITY**

We have been designing and manufacturing sliding systems since 1920, and our systems meet the most demanding European standards: NF EN 1527:2019 - PR NF P26-341 NF EN 12045, etc. With its commitment to quality and durability, Mantion offers every user the security of long warranties, up to 25 years on some products. All our systems are tested in approved laboratories to guarantee you the most reliable and longest lasting systems on the market. With Mantion, enjoy the peace of mind that comes with reliable mechanisms.

## **SUSTAINABLE DEVELOPMENT:** a long-standing commitment



MANTION cares about people and the environment, which is why we are so committed to sustainable development. It is a way for us to contribute seriously to protecting the planet's natural resources and improving quality of life. For the period from 2018 to 2020, MANTION's objectives

- to guarantee our customers the best possible delivery times.
- to reduce data entry times.
- to reduce the amount of paper we consume and therefore the volume of waste we produce.

As part of this general policy drive, MANTION has drawn up annual action plans and set continuous improvement targets, which it is committed to achieving. MANTION has devoted considerable resources to the implementation and management of these policies. They are driven and coordinated by the quality and environment manager, who reports directly to MANTION's top management. Finally, MANTION works actively to raise the awareness of its employees and partners to reinforce the effectiveness of these policies.

MANTION SAS 7, rue Gay Lussac / 25000 Besançon - France Tel. +33 (0) 3 81 50 56 77 / Fax +33 (0) 3 81 53 29 76 export@mantion.com







PANELS WITH TIMBER JOINERY	
OPENTEC® FW75 OPENTEC® FWF100	
PANELS WITH STEEL JOINERY	
HERCULE® 9500 2M	o.16
FRAMELESS GLASS PANELS	
OPENTEC® F80	o.2∠






indoor use

# **OPENTEC**° FW75

## FOLDING-SLIDING SYSTEM FOR WOOD PANELS

- + EASY TO USE
  - Panels slide smoothly and silently thanks to hangers with 4 nylon rollers mounted on ball bearings.
  - Optional floor guide depending on the configuration.
- + SIMPLE TO INSTALL
  - · Installation defined by configurator.
  - Level adjustable by nuts under the hangers.
- + QUALITY MATERIALS
  - · Anodised aluminium and stainless steel.
- + AN ATTRACTIVE LOOK WITH CLEAN, SIMPLE LINES
  - A system for tall, sleek doors.
  - Can be fitted flush in the ceiling or against the wall with a finishing pelmet.
  - Panels linked with concealed hinges.










### **ONLINE CALCULATION**

Estimating the cost of your project is easy! Simply enter the dimensions of your opening and your chosen options.
You will also have access to the full details of the products and plans.


www.mantion.com



CROSS SECTION OF TOP PART







CROSS SECTION OF BOTTOM PART

## **CHARACTERISTICS**

MAX. WEIGHT OF LEAVES	$75\mathrm{kg}$
MAX. OPENING DIMENSIONS (W X H)	12 x 4 m
NUMBER OF PANELS	1 to 12 (6 + 6)
PANEL WIDTH	400 to 1000 mm
THICKNESS OF LEAVES	30 to 50 mm



